#### WHATCOM COUNTY SHERIFF'S OFFICE

BILL ELFO SHERIFF



PUBLIC SAFETY BUILDING 311 Grand Avenue Bellingham, WA 98225-4038 (360) 778-6600

EMO TO:

County Executive Satpal Singh Sidhu

THROUGH:

Brad Bennett, Finance Manager

FROM:

James Triplett, Investigations and Support Services Lieutenant, WCSO

Rodger Funk, Investigations and Support Services Chief, WCSO

DATE:

July 24, 2023

RE:

Recommend to Award Bid #23-34 - Rescue Boats

#### Background

Bids were duly advertised to for the purchase of two (2) rescue boats. The Sheriff's Office Marine Unit and Whatcom County Search and Rescue Volunteers will use these boats in the performance of county business for response to river and flood rescue operations.

Two (2) bids were received on Tuesday, June 27, 2023. West Coast Marine Services, located in Bellingham, submitted the lowest responsive and responsible bid, as noted below:

Bidder	Make & Model	Base Price (For 2 Boats)	Sales Tax (% Rate)	Total Bid Amount
West Coast Marine Services	Wooldridge – 18' Alaskan LT	\$96,233.64	\$8,468.56 (8.8%)	\$104,702.20
Technology International Inc	2023 Elestec Inlander Alum	\$217,000.00	\$18,662.00 (8.6%) <sup>1</sup>	\$235,662.00

Sales tax was not noted on bid response; input destination-based rate of 8.6% for Total Bid Amount, per bid document.

#### **Funding Amount and Source**

Exhibit B of the 2023-2024 budget included \$90,000.00 in the General Fund on ASR #2023-6352 for this purchase. A subsequent Budget Transfer Request was approved on 07/26/23 for the additional funding needed for this purchase.

#### **Requested Action**

The Sheriff's Office requests the County Council and County Executive's approval to award bid #23-34 to West Coast Marine Services, in the amount of \$104,702.20.

#### Questions

Please contact James Triplett Ext. # 6725 if you have any questions or concerns regarding this request.

#### Recommendation

In accordance with WCC 3.08.030, I concur with this recommendation, and forward such to the County Council and County Executive for approval, per WCC 3.08.100(A).

Brad Bennett, AS Finance Manger	7/27/23 Date
Approved as recommended:	
County Executive	Date of Council Action

The bidder hereby acknowledges that they have read and understand all the equipment specifications and bidding requirements. The bidder also acknowledges that any bid submitted which does not meet the minimum specifications may be deemed unresponsive and rejected on that basis.

Unless otherwise stated, wherever in this solicitation an item is described by using a trade name, model number, catalog number, manufacturer name, or vendor name, it is intended that the words, "or equivalent/comparable substitution" apply. If a bidder proposes an alternate item, it must be clear, and include a complete description of the proposed alternate.

Printed literature and specifications describing equipment as offered <u>must be</u> included with the bid proposal. Any recent changes and features offered as standard or required for the intended use of the specified equipment will be supplied. All accessories required by these specifications shall be identical in quality and design to those normally supplied and installed for sale through regular commercial channels.

Please complete and include all pages of the Bid Response Form, References, Requested Brochures, and Copies of Warranties.

Please print (in ink) or type all information on the Bid Response Forms, with exception to the signature field.

Bidder may attach additional pages for comments on Minimum Specifications. Clearly reference to the applicable specification.

For:		Two (2) Rescue Boa	ts				
Submit Sealed Bi	ds Before:	2:30 PM, Tuesday,	June 27, 2023				
Deliver Bids To:		Administrative Serv 311 Grand Avenue			'A 98225		
F.O.B. Delivery Po	oint:	Whatcom County P 901 W. Smith Road	ublic Works				
Make & Model O		E BOATS 18 A	LASKAN LT				
Base Price	Each: \$ 48,116.82		Sales Tax @ 🔃	8.8_%:	\$ 96,233.6 \$ 8,468.5 \$ 104,702.2	6	
Bidder acknowled	lges receipt of Addenda b	y checking the box(e	es): 1 🛛 2 🗆	3 □ 4 □			
Warranty Offe	ayment Discount Offered y After Firm Order Within red at No Additional Cost	45 DAYS	2	<del></del>	<del></del>	,135.11	SAVINGS
ł	Please use additional pages if necessary	SEE WARRANT	Y SECTION OF	N PAGE 6	3		
Warranty Covo	vvarranty Period	SEE WARRANT	Y SECTION OF	PAGE 6			
	rage for Boat and Motors		Y SECTION OF	N PAGE 6	5		
	LOCAL COOPERATIVE ACT						
the subsequent tir	es or political subdivisions ne period for which the ve	endor is willing to hor	ame equipment or the bid pric	t from the e.	vendor over	Yes 🛛	No 🗆
	CHASING ADDITIONAL UI						
The County may cr	noose to purchase addition			wing the d	ate of award.	Yes 🛛	No 🗆
		BIDDER IDENT	IFICATION				
Company Name:	WEST COAST MARI	NE SERVICES INC					
Address:	1200 C ST	prompt (mill name becomes and mill not be a second					
	BELLINGHAM, WAS	98225					
Submitted By:	MONTY SEIDEL		GM - SALES &	& FINANC	E		
Signature:	Shit	K-	rinic Nume & Title)	Phone:	360-676-80	020	
Email:	wcmssates@comcas	st.net		Fax:	360-738-60	002	

These boats will be used in both fresh and salt water. The boats will be subject to extreme conditions to include swift water and flood response where maneuverability and hull integrity are paramount. Whatcom County provides marine safety patrols and emergency response in the county lakes, rivers, and along the shoreline of Whatcom County, Lummi Island, and north to Point Roberts, which is located on the west end of mainland British Columbia.

MINIMUM SPECIFICATIONS		MEETS SPECIFICATIONS? YES – NO – COMMENT
BASIC BOAT		
Boats must be of sufficient size to handle a minimum crew of two, with up to four additional passengers, plus their equipment		YES
Trailerable – Must include appropriately sized trailer configured for passenger tow vehicle	for a conventional	YES
Boat must be equipped sufficiently to meet Coast Guard approval requ	irements	YES
HULL  Mono hull, 1/8" bottom and side gauge aluminum plate construction (		YES
Length - 18-20' LOA	Specify Length:	YES 20'
(swim step/diving platform or transom could add to length)	Specify Breadth:	YES 80"
Breadth – 7' BOA maximum	Specify Depth:	YES 21"
Depth – proportional to length & beam  Welded center console with windshield and seat/storage in front of co	onsole	YES
		YES
Grab rails on each side of windshield		YES
Leaning post for driver with ap-		YES
Transom ladder		YES
Easy access to all equipment that requires service and maintenance		YES
Diamond plate floors		YES
Welded bow eye and welded stern eyes		YES
Sacrificial anode for salt/fresh water		YES
Aluminum hand rails at bow and stern along the gunnel		
PROPULSION & CONTROLS		
One (1) four-stroke Honda, Mercury, Suzuki, or Yamaha outboard jet engine to match vessel; 65 Rated HP minimum	pecify Make & Model	HONDA BF90/65 JET
Fuel tank – 14 gallons (min.)		YES
RPM and hour display for engine data (min.)		YES
ABYC Compliant electrical system		YES
		YES
EPA Compliant fuel and venting system		YES
One (1) marine grade group 27 AGM start battery	- Herry (with two mentanta) - 2 Herry	YES

MINIMUM SPECIFICATIONS		MEETS SPECIFICATIONS? YES – NO – COMMENT
NAVIGATION & COMMUNICA	ATION	
LED Navigation lights		YES
Navigation horn		YES
OPERATIONAL EQUIPMENT	A STATE OF THE STA	
LED Headlight recessed in be	ow	YES
One (1) fire extinguisher		YES
Outfit kit including anchor w	/ chain and rode, dock-lines, fenders, boat hook	YES
PRESERVATION		MV
All dissimilar metals isolated	from one another through best marine practices	YES
Specify the minimum warrar Structural hull	nty on the following: W.B. 24 MONTH GOVT WARRANTY EXCLUSIVELY TH	RU WEST COAST MARIN
Motor	HONDA MARINE 36 MONTH GOVERNMENT NON-DE	CLINING WARRANTY
Other (include description)	EZ-LOADER TRAILERS 24 MONTH WARRANTY	
MISCELLANEOUS		
Three complete sets of keys		YES
One set of service manuals, hydraulic diagrams, and part	including major overhaul of all components, electrical and s	YES
One copy of the Manufactur	er's Statement of Retail Price (MSRP label) per unit	YES

#### **REFERENCES**

If you have not done by	usiness with Whatcom County in the past three years, please provide the following reference information.
if you <u>nave no</u> t done bu	
Name:	SUMMIT TO SOUND SEARCH & RESCUE
Address:	1041 W. SMITH RD BELLINGHAM, WA 98226
Contact Name:	FRED KNIGHT
Phone Number:	360-739-7562
Fax Number:	
Email:	
Name:	PORT OF BELLINGHAM
Address:	PO BOX 1677 BELLINGHAM, WA 98227
Contact Name:	RILEY VANDERHEY
Phone Number:	360-739-6631
Fax Number:	
Email:	
Name:	LUMMI NATION POLICE - L.I.B.C.
Address:	2665 KWINA RD BELLINGHAM, WA 98226
Contact Name:	DAVID SAVA
Phone Number:	253-880-2208
Fax Number:	
Email:	

#### WEST COAST MARINE SERVICES INC.

1200 "C" STREET BELLINGHAM, WA 98225

PH (888) OR (360) 676-8020 FX (360) 738-6002 www.wcmarine.us wcmssales@comcast.net

Wooldridge Boats - Marlon Boats - Honda - Yamaha - EZ Loader

#### QUOTE

Name: WHATCOM COUNTY SHERIFF'S OFFICE - BID #23-34 Date: 6/20/2023

Address: 311 GRAND AVE Price Valid Until: 9/20/2023


City, St, Zip BELLINGHAM, WA 98225 Quote Prepared By: MONTY

Phone: Desired Delivery Date: ASAP

Fax: Finance Rate:

E-Mail:

QUANTITY	DESCRIPTION	UNIT PRICE	TOTAL
2	WOOLDRIDGE BOATS 18' ALASKAN LT HULL	\$17,898.00	\$35,796.
2	HONDA MARINE BF90/65 JET MODEL OUTBOARD	\$12,565.00	\$25,130.
2	EZ-LOADER EZ90BS 14-18 2300 GALV TLR W/BUNK SLICKS & EXT. TONGUE	\$3,789.00	\$7,578.
2	HONDA MARINE ENGINE RIGGING KIT W/TACH & HOUR	\$800.00	\$1,600.
2	CENTER CONSOLE W/FOLDING WINDSHIELD & GRAB RAILS	\$2,287.00	\$4,574.
2	15" x 15" STORAGE BOX FWD OF CONSOLE WITH CUSHION SEAT	\$515.00	\$1,030.
2	SPLIT SPORT RAILS ON BOTH GUNNELS	\$1,349.00	\$2,698.
2	15 GAL BOW MOUNT EPA COMPLIANT FUEL SYSTEM W/WATER FILTER	\$799.99	\$1,599.
2	STANDARD SWIMSTEP WITH FOLDING LADDER AND GRAB RAIL	\$1,199.00	\$2,398.
2	LEANING POST CUSHIONED SEAT W/STORAGE FOR OPERATOR	\$1,200.00	\$2,400.
2	WELDED TRANSOM BRACKETS FOR ANODES & TRANDUCERS	\$200.00	\$400.
2	EXPLORER PAK - LED NAV LIGHTS, HORN & AUTO BILGE W/SWITCH PANEL	\$1,299.00	\$2,598.
2	BOW MOUNT 19" VISION-X FLUSH MOUNT LED SEARCH LIGHT BAR	\$1,589.00	\$3,178.
2	GROUP 27 AGM BATTERY UPGRADE W/BOX	\$550.25	\$1,100.
2	LEE LOCK RIVER ANCHOR SYSTEM W/40# ANCHOR AND 75' LINE	\$725.00	\$1,450.
2	DOCK KIT - FENDERS & LINES, DOCK LINES AND TELESCOPING POLE HOOK	\$187.00	\$374.0
2	LARGE B:C RATED FIRE EXTENGUISHER, MOUNTED	\$90.00	\$180.0
6	SPARE KEY SETS	\$9.21	\$55.2
2	HONDA MARINE FACTORY ENGINE SERVICE & PARTS MANUALS	\$146.95	\$293.9
2	LABOR - RIGGING, SETUP, PDI SEA-TRIAL AND DELIVERY	\$1,400.00	\$2,800.0
-2	HONDA MARINE GOVERNMENT REBATE	\$500.00	-\$1,000.0
tes:	N.	Sub-Total:	\$96,233.0
LIVERY WI	THIN 45 DAYS OF BID CONFIRMATION Local	Sales Tax - 8.8%	\$8,468.
stomer Signa	nture:	Total:	\$104,702.2



#### Run shallow, run far. Alaskan LT will get you there.

For years, our customers asked us why we don't build a lighter duty entry level jet boat like many of the other stackable model boats out there. You know, one of those boats the "other guys" sold to big box stores and dealers everywhere. Well fact is, we've really prided ourselves on ultra-high quality handmade welded boats that are truly made one at a time, not mega dealer production style crafts like you see everywhere else.


It would have to carry on the 100 plus year family owned legacy of quality that we could proudly put our Wooldridge name on. Well friends, the wait is over. We introduced the perfect ultimate light model jet boat, tailor-made for running skinny shallow Alaskan rivers or chasing waterfowl thru the rain-swollen valleys and bogs during a wet fall day. Lengths of 16', 18' and 20' will feature a 5' bottom and of course as you would expect, our often imitated but never duplicated jet tunnel. For those who want that smaller jet hull, without sacrificing solid welded structural integrity, your search ends here.

Check out the Wooldridge Alaskan LT model!

#### **BOAT SPECIFICATIONS**

Beam	80"
Side Height	21"
Side Gauge	1/8"
Bottom Width	60"
Bottom Gauge	1/8"
Deadrise	9°
16' Weight	690 lbs
18' Weight	740 lbs.
20' Weight	800 lbs
Capacity(16' Only)	940 lbs
16' Max Prop H.P.	65
16' Max Jet H.P.	65
18' Max Prop H.P.	70
16' Max Jet H.P.	140
20' Max Prop H.P.	90
20' Max Jet H.P.	150

#### WOOLDRIDGE LT ALASKAN





#### **ALASKAN LT STANDARD FEATURES**

- 4 Seating / Flotation boxes\*\*
- · Swim Step\*\*\*
- •.125 Diamond Plate floors
- Side Travs
- Welded bow and stern eyes
- · Storage under front step deck
  - \*On required sizes

- · Diamond plate bow cap
- · Recessed diamond plate step deck
- · Lifetime Limited Hull Warranty to original buyer
- Wooldridge Full Support Structure System
- Full length under floor cable runs
  - \*\*16' model only

- Exclusive Wooldridge Jet Tunnel
- · Formed rib bottom, with 4 corrugations 2 on each side of keel
- · Extended bottom trim plate
- · U.S.C.G. Approved level floatation\*

\*\*\*18' model only











18' Alaskan LT shown with options




20' Alaskan LT shown with option





18' Alaskan LT shown with options



16' Alaskan LT shown with options








challenging river running conditions. The tunnel allows the jet foot to be raised for protection, a clean



20' Alaskan LT shown with options





### WOOLDRIDGE BOATS, INC. LIMITED LIFETIME WARRANTY & INDEMNIFICATION

Wooldridge boats come with the following Limited Lifetime Warranty & Indemnification. Whenever used in this limited lifetime warranty and indemnification agreement (the "Agreement"), the following terms shall have the following definitions: (a) "Buyer" shall mean the first retail purchaser of the Product; (b) "Wooldridge" shall mean Wooldridge Boats, Inc.; (c) "Product" shall mean only the aluminum hull manufactured by Wooldridge and specifically excludes all other equipment, paint, vinyl and components (which may have separate coverage depending on the manufacturer).

Buyer's Obligations/Making a Claim. Within thirty (30) days of discovery of a defect in the Product, Buyer shall notify Wooldridge in writing at 1303 South 96<sup>th</sup> Street, Seattle, WA 98108. Prior to the authorization of any warranty repair(s), Wooldridge will require the Product to be returned to Wooldridge at the address set forth above or such other location as Wooldridge may direct in their sole discretion. The Buyer will be responsible to demonstrate they were the original purchaser of the Product. The Buyer will be responsible for all transportation, haulouts, loss of time, inconvenience, travel expenses, loss of use, launch, towing, storage and other expenses incurred in connection with warranty service. Wooldridge will then authorize such repair of defects under this Agreement, as Wooldridge in its sole discretion deems appropriate.

Wooldridge's Obligations. This Agreement applies to structural defects in material or workmanship in the Product, as determined by Wooldridge in its sole discretion, for the duration of Buyer's ownership of the Product. In no event shall the cost of such repair or rework exceed the actual cash value of the Product. Wooldridge will, within a reasonable time after notification as provided under this Agreement, exercise its option to repair a Product which shall be determined to have been defective in material or workmanship in Wooldridge's sole discretion. Wooldridge does not guarantee that repair of the Product will be completed within any specific time period. Wooldridge reserves the right to substitute models, change colors, specifications, designs, component parts, material, equipment or cease production of certain models of the Product at any time without notice. All parts replaced under warranty shall become the property of Wooldridge.

Warranty Exclusions. This warranty specifically does not apply to:

- Any Product that has been altered or modified other than as authorized by Wooldridge;
- Deterioration caused by overpowering or overloading according to the maximum horsepower specifications;
- Corrosion, electrolysis, zincing, paint, vinyl components, coatings, and UHMW (or similar) hull protection and fastening systems;
- Any transportation, launch, hauling, storage, loading or other expenses incurred in connection with warranty service;
- Any loss of time, loss of use, inconvenience, or loss of or damage to Buyer's personal property;
- Damage caused by Buyer's misuse, improper use, or failure to use an appropriate trailer, trailer tie down straps, or other appropriate securing and transportation restraints;
- · Racing or competition use, modification of original parts, or abnormal strain;
- Lack of proper maintenance and off-season storage, installation of parts or accessories not approved by Wooldridge; or Buyer's failure to perform the periodic maintenance;

- Damage incurred as a result of accidents, collisions, contact with foreign materials, submersion, unreasonable use, abuse, vandalism, or tampering;
- Damage incurred as a result of growth of marine organisms;
- Acts of God:
- Boats used for governmental, business or commercial purposes;
- Damage caused by continued use after the defect is or should have been discovered;
- Any modification, repair, or alteration of a Product made without the authorization of Wooldridge or by any unauthorized third party or altered in any way;
- Deterioration caused by exposure to the elements or the use of cleaners or chemicals.

WOOLDRIDGE MAKES NO OTHER WARRANTY OF ANY KIND, EXPRESS OR IMPLIED. ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE EXCEED THE OBLIGATIONS AND THE LIMITS STATED IN THIS AGREEMENT ARE HEREBY DISCLAIMED BY WOOLDRIDGE AND EXCLUDED FROM THIS AGREEMENT,


EXCLUDED FROM THIS AGREEMENT ARE ALL INCIDENTAL AND CONSEQUENTIAL DAMAGES INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS OR INCOME, LOSS OF USE OF THE PRODUCT, EXPENSE IN CONNECTION WITH WARRANTY SERVICE, PERSONAL INJURY, OR DAMAGES TO PROPERTY.

BUYER AGREES TO DEFEND, INDEMNIFY, AND HOLD HARMLESS WOOLDRIDGE (INCLUDING ITS OFFICERS, DIRECTORS, OWNERS, AND EMPLOYEES) FROM AND AGAINST ANY AND ALL CLAIMS, DEMANDS, FEES (INCLUDING REASONABLE ATTORNEY'S FEES), CAUSES OF ACTION, OBLIGATIONS, DAMAGES, EXPENSES, AND LIABILITIES (AND TO REIMBURSE WOOLDRIDGE FOR THE SAME) ARISING FROM OR RELATING TO ANY HARM, PROPERTY DAMAGE, LIABILITY, PERSONAL INJURY, OR OTHER LOSS ATTRIBUTABLE IN WHOLE OR IN PART TO ANY ACT OR OMISSION OF BUYER. THE FOREGOING INDEMNIFICATION IS A MATERIAL PART OF THE CONSIDERATION RECEIVED BY WOOLDRIDGE.

THIS AGREEMENT SHALL APPLY IN ACCORDANCE TO THE LAWS OF THE STATE OF WASHINGTON. THIS DOCUMENT CONTAINS THE ENTIRE WARRANTY GIVEN BY WOOLDRIDGE AND THERE ARE NO TERMS, PROMISES, CONDITIONS, OR WARRANTIES, OTHER THAN THOSE CONTAINED HEREIN. NO ORAL OR WRITTEN INFORMATION OR ADVICE GIVEN BY WOOLDRIDGE, ITS DEALERS, REPRESENTATIVES, AGENTS OR EMPLOYEES SHALL CREATE A WARRANTY BY WOOLDRIDGE OR IN ANY WAY INCREASE THE SCOPE OF THIS AGREEMENT.

#### 

CUSTOMER'S COPY: LIMITED LIFETIME WARRANTY & INDEMNIFICATION
I understand that the warranty set forth above becomes effective upon the date of purchase by me of the Wooldridge boat described in the registration certificate, and that I should complete and return this registration certificate to Wooldridge at the time of sale of such boat to me. I understand that there is no other warranty provided



# Specifications

#### **ENGINE**

TYPE 4-Stroke SOHC 4 Cylinders

DISPLACEMENT 1496cc (91.4 cubic in.)

BORE & STROKE 73 x 89.4 mm

FULL THROTTLE RPM RANGE 5300-6300 RPM

HP RATING AT PROPSHAFT 90HP @ 5800 RPM

INDUCTION SCAVENGING SOHC

VALVES PER CYLINDER 4

(86 OCTANE) FUEL DELIVERY PGM-FI VTEC

IGNITION SYSTEM Microcomputer Programmed

STARTING SYSTEM Electric

LUBRICATION Wet Sump

COOLING SYSTEM Water Cooled

ALTERNATOR 44 Amps

BATTERY CHARGING POWER 35 Amps

TRIM RANGE - 4° to +16°

TILT RANGE 68°

#### DRIVE

GEAR RATIO 2.33:1 (12:28)

GEAR SHIFT F-N-R

PROPELLER Optional

#### **DIMENSIONS**

RECOMMENDED TRANSOM HEIGHT (L) 508 mm/20 in.

(X) 635 mm/25 in.

DRY WEIGHT (L) 163 kg - 359 LBS.

DRY WEIGHT RC (X) 169 kg - 373 LBS.

### BF90

### **Features**

#### Proven Technology ###72-W

The technology we applied to our newest outboard engine is the very same that powers one of the most popular cars in the world.

A 4 Cylinder, 1496cc (91.4ci) engine, weighing in at only 163kg (359 lbs). It's the lightest in its class.



VTEC synchronizes the lift and duration of the intake valves both at low rpm and at high rpm. This yields a longer, flatter torque curve which means max power at every speed.





A quick movement of the throttle control activates the **BLAST™** system, advancing the ignition curve aggressively.

"Holeshot" is vastly improved as more horsepower gets the hull up on plane quicker.



#### NMEA 2000® Certified

NMEA 2000 protocols allow engine data to be interfaced with on-board systems and systems displays, such as sonar and GPS.

### LEANBULE CONTROL OPTIMAL FUEL EFFICIENCY

Increases fuel efficiency by allowing combustion to operate on a leaner air/fuel mixture. At cruising speed, this engine runs on 20% less fuel\*than others in its class.

\* Based on EPA Fuel Mode Consumption



#### **Cast Iron Cylinder Sleeves**

Ensures long term durability.

# & Benefits



#### Programmed Electronic Fuel Injection

Delivers the precise amount of fuel/air to each cylinder. The result is easy starts and instant throttle response with superior fuel efficiency.

**Variable Speed Trolling** 

Another great advantage for fishermen is the 90's push button troll speed. Simply push up or down in 50 RPM increments from 750RPM to 1000 RPM. It's optional as a remote mounted toggle switch.



#### Superior Battery Charging

There's always plenty of electric power with Honda's exclusive neodymium magnet flywheel.

HONDA



#### Honda

#### 3 Position Tiller Handle

New 3-position tiller with toggle trolling control switch and toggle trim & till built into twist grip. (adapted from BF60)



#### 3 Way Cooling

Three separate cooling systems keep the cylinder head cooler for more long-term durability.

**Corrosion Protection System** 

A patented "Double Sealed" multi-layered paint process. Sacrificial anodes and stainless steel technology, along with water resistant connectors, all enhance corrosion protection. Cooling passages are painted.



#### **High Performance Gearcase**

Designed to get you going faster, this all new gearcase reduces drag, eliminates hull perpoise and minimizes spray, thus increasing acceleration and top speed.



## Distributor's Limited Warranty

#### **Honda Outboard Motors**

This warranty is limited to Honda Outboard Motors and related original equipment distributed by American Honda Motor Co., Inc., Power Sports and Products Division, 4900 Marconi Drive, Alpharetta, Georgia 30005-8847.

	Length of Warranty: (from date of original retail purchase)			
Products Covered by Warranty:	NON- COMMERCIAL/ NON-RENTAL	COMMERCIAL/ RENTAL	STATE/LOCAL/ FEDERAL GOVERNMENT	
All models purchased on or after Jan. 1, 2016 (2)	60 months	24 months	36 months	
All models purchased between July 1, 2008 and December 31, 2015 (2)	60 months	12 months	24 months	
All models purchased on or before June 30, 2008 (1)(2)	36 months	12 months	24 months	
Related original equipment items: BF5 through BF20 models: Portable fuel tank and original propeller, All models: Primer bulb/fuel line assembly and tiller handle.	The same duration as the outboard with which they were purchased.			

- (1) Models purchased prior to July 1, 2008 (unless previously purchased with True-5 warranty from a participating dealer).
- (2) 40, 65, & 105 Jet models: Jet pump assembly is a dealer installed option. Jet pump warranty is provided by Specialty Manufacturing Co. (Outboard Jets).
- (3) Portable fuel tanks: 24 months or the same duration as the outboard they were purchased with, whichever is longer.

#### To Qualify for This Warranty:

The Honda Outboard Motor must be purchased from American Honda or a dealer authorized by American Honda to sell Honda Outboard Motors in the United States, Puerto Rico, or the U.S. Virgin Islands. This limited warranty applies to the first retail purchaser and each subsequent owner during the applicable warranty time period.

#### What American Honda Will Repair or Replace Under Warranty:

American Honda will repair or replace, at its option, any part that is proven to be defective in material or workmanship under normal use during the applicable warranty time period. Warranty repairs and replacements will be made without charge for parts or labor. Anything replaced under warranty becomes the property of American Honda Motor Co., Inc. All parts replaced under warranty will be considered as part of the original product and any warranty on those parts will expire coincidentally with the original product warranty.

#### To Obtain Warranty Service:

You must, at your expense, take your Honda Outboard Motor and proof of the original purchase date to any dealer who is authorized to service Honda Outboard Motors in the United States, Puerto Rico, or the U.S. Virgin Islands, during the dealer's normal business hours. If you are unable to obtain warranty service, or are dissatisfied with the warranty service you receive, take the following steps: First, contact the owner of the dealership involved; normally this should resolve the problem. However, if you should require further assistance, write or call the Honda Marine Customer Relations Department of American Honda Motor Co., Inc.

American Honda Motor Co., Inc. Honda Marine Customer Relations Department 4900 Marconi Drive Alpharetta, Georgia 30005-8847 Telephone: (770) 497-6400

#### **Exclusions:**

This warranty does not extend to the following:

- Conditions caused by lack of routine maintenance or improper storage (as outlined in the owner's manual)
- Conditions caused by the use of propeller(s) that do not allow the outboard motor to run in its recommended full throttle rpm range
- Operation inconsistent with the recommended operation/duty cycle (as outlined in the owner's manual)
- · Parts affected or damaged by an abuse, submersion and/or collision
- Fuel contamination and water entering the engine through the fuel intake, air intake, or exhaust system
- Operation with fuels, oils, additives and lubricants which are not suitable for use in the product
- Use in an application for which the outboard motor was not designed, such as racing or competitive use or any other misuse or neglect

- Normal wear and tear
- · Incorporation of unsuitable attachments or parts
- The unauthorized alteration, improper installation and/or rigging, or any causes other than defects in material or workmanship
- Corrosion to steering system or electrical components, corrosion due to electrolysis, water born foreign chemicals, improper service or corrosion caused by damage or abuse
- Reimbursement for towing charges, in and out of water charges, or technician travel time
- · Growth of marine organisms on motor surfaces, external or internal
- Any product that has ever been declared a total loss or sold for salvage by a financial institution or insurer, or that has been issued a "salvage" or similar title under any state's law.

#### Disclaimer of consequential damage and limitation of implied warranties:

American Honda disclaims any responsibility for loss of time or use of the outboard, revenue, or the equipment in which the outboard is installed, transportation, commercial loss, or any other incidental or consequential damage. Any implied warranties are limited to the duration of this written limited warranty.

Some states do not allow limitations on how long an implied warranty lasts and/or do not allow the exclusion or limitation of incidental or consequential damages, so the above exclusions and limitations may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

American Honda Motor Co., Inc. June 2023



## Distributor's Limited Warranty

#### **Accessories and Replacement Parts**

This warranty is limited to Honda Marine parts, accessories and apparel when distributed by American Honda Motor Co., Inc., 4900 Marconi Drive, Alpharetta, Georgia 30005-8847.

Products Covered by Warranty:	Length of Warranty: (from date of original retail purchase)			
	NON-COMMERCIAL	COMMERCIAL/RENTAL	STATE/LOCAL/ FEDERAL GOVERNMENT	
Accessories other than noted below	12 months	3 months	3 months	
Emission related accessories; Portable fuel tanks, fuel line assemblies, and water/fuel separators	24 months	24 months	24 months	
Replacement Parts	6 months	3 months	3 months	

#### To Qualify for This Warranty:

- The accessories or replacement parts must be purchased from American Honda or a dealer, distributor, or distributor's dealer authorized by American Honda
  to sell those products in the United States, Puerto Rico, and the U.S. Virgin Islands. Parts and Accessories must be purchased for installation on original
  Honda equipment or engines to be eligible for warranty coverage. Installing Parts and Accessories on non-Honda products or engines voids this warranty.
- 2. You must be the first retail purchaser. This warranty is not transferable to subsequent owners.

#### What American Honda Will Repair or Replace Under Warranty:

American Honda will repair or replace, at its option, any marine product accessories or replacement parts that are proven to be defective in material or workmanship under normal use during the applicable warranty time period. Anything replaced under warranty becomes the property of American Honda Motor Co., Inc. All parts replaced under warranty will be considered as part of the original product and any warranty on those parts will expire coincidentally with the original product warranty.

Accessories and replacement parts, installed by a dealer who is authorized by American Honda to sell them, will be repaired or replaced under warranty without charge for parts or labor. If installed by anyone else, accessories and replacement parts will be repaired or replaced under warranty without charge for parts, but any labor charges will be the responsibility of the purchaser.

#### To Obtain Warranty Service:

You must, at your expense, take the Honda Outboard Motor product accessory or replacement part or the outboard motor or boat on which the accessory or replacement part is installed, and proof of purchase to any Honda Marine authorized service facility or dealer in the United States, Puerto Rico, or the U.S. Virgin Islands, during normal business hours.

#### **Exclusions:**

This warranty does not extend to accessories or parts affected or damaged by collision, normal wear, use in an application for which the product was not designed or any other misuse, neglect, incorporation or use of unsuitable attachments or parts, unauthorized alteration, improper installation, or any causes other than defects in material or workmanship of the product. Installing parts and accessories on non-Honda products or engines voids this warranty.

#### Disclaimer of consequential damage and limitation of implied warranties:

American Honda disclaims any responsibility for loss of time or use of the outboard motor, or the boat on which the product is installed, transportation, commercial loss, or any other incidental or consequential damage. Any implied warranties are limited to the duration of this written warranty. Some states do not allow limitations on how long an implied warranty lasts and/or do not allow the exclusion or limitation of incidental or consequential damages, so the above exclusions and limitations may not apply to you.

This warranty gives you specific legal rights, and you may also have other rights, which vary from state to state.



#### EZ Loader Adjustable Trailer Limited Warranty

EZ Loader Boat Trailers, Inc. warrants each new Adjustable Boat Trailer to be free from defects in materials and workmanship for a period of three (3) years from the date of manufacture, or two (2) years from the date of first retail sale, whichever occurs first". EZ Loader shall repair or replace, without charge, any parts found to be defective because of imperfect workmanship or materials, within a reasonable time after the trailer is returned at purchaser's expense to any EZ Loader authorized distributor or dealer.

#### Who is Covered:

This warranty is extended to the original purchaser only and does not extend to any other persons to whom the trailer may be transferred.

#### What is Not Covered:

Provisions of this Warranty shall not apply to any product which is found to have been modified or altered in any way; nor shall the warranty apply to any defect or malfunction which was caused by damage, unreasonable use, or failure to provide reasonable and necessary maintenance. The warranty will not cover damage caused by overloading the trailer beyond stated capacities, Improper adjustment of the trailer to the boat or the use of weight distribution hitches in conjunction with hydraulic surge brakes. Due to the highly corrosive conditions a trailer is exposed to, rust formation is not covered. The warranty does not cover winches, lights, couplers, actuators, brakes, tongue jacks, springs and tires or wheels, as these items are warranted separately by their manufacturer.

#### Other Limitations:

Races, bearings and seals are covered for 90 days from date of purchase. Any implied warranties, obligations, or liabilities, including but not limited to, any implied warranty of merchantability, shall be limited in duration to the two-year duration of this written limited warranty. Some states do not allow limitation on how long an implied warranty lasts, so the above limitation may not apply to you. The use of any unit as part of a rental fleet, or use for commercial purposes, voids this warranty.

#### The following are exclusions of EZ Loader Adjustables warranty:

Loss of time, inconvenience, towing charges, travel expenses, lodging, telephone, gas, loss or damages to personal property or loss of wages. This warranty is intended to comply with the "Magnusson Moss Warranty Federal Trade Commission Improvement Act" and any provisions of this warranty or actions taken by EZ Loader pursuant to this warranty shall be construed accordingly.

EZ Loader Boat Trailers, Inc., shall not be liable for any incidental or consequential damages for breach of this or any other warranty, express or implied. Some states do not allow the exclusion of limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

This warranty gives you specific legal rights, and you may also have other rights, which vary from state to state.

For more information, call 509-489-0181 or e-mail salesinfo@ezloader.com.

#### FOLLOWING ARE PHOTOS OF SAME BOAT WITH LESS OPTIONS AS REFERENCE






#### FOLLOWING ARE PHOTOS OF SAME BOAT WITH LESS OPTIONS AS REFERENCE





#### FOLLOWING ARE PHOTOS OF THE SAME BOAT WITH LESS OPTIONS AS REFERENCE





#### Bid #22-40 Prisoner Transport Unit Bid Tabulation

YES   YES   YES		Technology International	West Coast Marine
YES YES YES  YES  YES  YES  YES  YES  Y	BASIC BOAT		
Trailerable - Must include appropriately sized trialer configured for an convententional passenger tow vehicle  Soat must be equipped sufficiently to meet Coast Guard approval rquirements  WES  YES  YES  HULL  Mono hull, 1/8" bottom ans side gauge aluminum plate construction (Min.)  YES  YES  YES  YES  HULL  Mono hull, 1/8" bottom ans side gauge aluminum plate construction (Min.)  YES  YES  YES  YES  WES  WES  WES  WES	Boats must be of sufficeint size to handle a minimum crew of two, with the ability to carry up to	VES	VES
tow vehicle Boat must be equipped sufficiently to meet Coast Guard approval rquirements HULL  Mono hull, 1/8" bottom ans side gauge aluminum plate construction (Min.)  YES  YES  YES  YES  HES  WES  Length - 18-20' LOA (swin step or transom can add to length)  Specify length  Specify length  Specify length  Specify depth  Specify depth	four additional passengers, plus their equipment		ILS
The vehicle Seath must be equipped sufficiently to meet Coast Guard approval rquirements yes yes yes seath that the equipped sufficiently to meet Coast Guard approval rquirements yes yes yes seath that the equipped sufficiently to meet Coast Guard approval rquirements yes yes yes yes yes length 18-20 LOA (swin step or transom can add to length) specify length 22' 20" 30" 80" 500 500 500 500 500 500 500 500 500 5	1 -	YES	YES
Mono hull, 1/8" bottom ans side gauge aluminum plate construction (Min.)  Length - 18-20' LOA (swin step or transom can add to length)  Specify length  Specif			
Mono hull, 1/8" bottom ans side gauge aluminum plate construction (Min.)  Wels YES  Length - 18-20' LOA (swin step or transom can add to length)  Breadth - 7" BOA maximum  Br		YES	YES
Length - 18-20' LOA (swin step or transom can add to length)  Breadth - 7' BOA maximum  Breadth - 14 gallons (min.)  Breadth - 14			the second second second second
Breadth -7' BOA maximum breadth  Depth - proportional to length and beam  specify depth  Welded center console with windshield and seat/storage in front of console  WES  YES  YES  YES  YES  YES  Leaning post for driver with upholstered seat  YES  Transom ladder  YES  YES  YES  Transom ladder  YES  YES  YES  Tansom ladder  YES  YES  YES  Welded bow eye and welded stern eyes  Welded bow eye and welded stern eyes  Sacrificial anode for salt/fresh water  Aluminum hand rails at bow and stern along gunnel  YES  PROPULSION & CONTROLS  One (1) four stroke Honda, Mercury, Suzuki or Yamaha outboard jet engine to match vessel; 65 arated HP minimum  specify make and model  Fuel tank - 14 gallons (min.)  YES  YES  YES  YES  YES  ABYC  One (1) electric bilge pumps w/ auto/man/off switch  YES  YES  YES  YES  YES  YES  YES  YE	Mono hull, 1/8" bottom ans side gauge aluminum plate construction (Min.)	YES	YES
breadth  Depth - proportional to length and beam  specitfy depth 36"  21"  Welded center console with windshield and seat/storage in front of console YES YES Grab rails on each side of windshield YES YES YES  Transom ladder YES YES YES  Transom ladder Transom ladder YES YES  Transom ladder Transom ladder YES YES  Transom ladder Tra		22'	20"
Depth - proportional to length and beam  Specitfy depth  36"  21"  Welded center console with windshield and seat/storage in front of console  YES  YES  Grab rails on each side of windshield  YES  YES  Leaning post for driver with upholstered seat  YES  YES  YES  Transom ladder  YES  YES  Easy access to all equipment that requires service and maintenance  YES  YES  Welded bow eye and welded stern eyes  YES  YES  YES  Sacrificial anode for salt/fresh water  Aluminum hand rails at bow and stern along gunnel  YES  YES  YES  PROPULSION & CONTROLS  One (1) four stroke Honda, Mercury, Suzuki or Yamaha outboard jet engine to match vessel; 65 specify make and model  Fuel tank - 14 gallons (min.)  YES  YES  YES  YES  ABYC  YES  YES  YES  YES  YES  YES  PROPULSION & CONTROLS  One (1) four stroke Honda, Mercury, Suzuki or Yamaha outboard jet engine to match vessel; 65 specify make and model  Fuel tank - 14 gallons (min.)  YES  YES  YES  YES  YES  YES  YES  YE	1	91"	80"
Welded center console with windshield and seat/storage in front of console  YES  YES  Grab rails on each side of windshield  Leaning post for driver with upholstered seat  YES  YES  YES  Transom ladder  Easy access to all equipment that requires service and maintenance  YES  Diamond plate floors  YES  YES  VES  Diamond plate floors  YES  YES  VES  Welded bow eye and welded stern eyes  Sacrifficial anode for salt/fresh water  Aluminum hand rails at bow and stern along gunnel  YES  YES  YES  PROPULSION & CONTROLS  One (1) four stroke Honda, Mercury, Suzuki or Yamaha outboard jet engine to match vessel; 65 rated HP minimum  Specify make and model  Fuel tank - 14 gallons (min.)  2 - 9 gallons  YES  YES  ABYC Comliant electrical system  YES  YES  One (1) electric bilge pumps w/ auto/man/off switch  YES  YES  YES  YES  YES  YES  YES  YE	breadth		
Grab rails on each side of windshield  Leaning post for driver with upholstered seat  YES  YES  YES  Transom ladder  Easy access to all equipment that requires service and maintenance  YES  YES  YES  YES  Diamond plate floors  Welded bow eye and welded stern eyes  YES  YES  YES  Welded bow eye and welded stern eyes  YES  YES  YES  Aluminum hand rails at bow and stern along gunnel  YES  YES  YES  YES  YES  YES  YES  YE	Depth - proportional to length and beam specitfy depth	36"	21"
Leaning post for driver with upholstered seat  YES  YES  YES  Transom ladder  YES  YES  YES  YES  Diamond plate floors  Welded bow eye and welded stern eyes  Welded bow eye and welded stern eyes  Sacrificial anode for salt/fresh water  Aluminum hand rails at bow and stern along gunnel  PROPULSION & CONTROLS  One (1) four stroke Honda, Mercury, Suzuki or Yamaha outboard jet engine to match vessel; 65 rated HP minimum  Specify make and model  Fuel tank - 14 gallons (min.)  RPM and hour display for engine data (min.)  ABYC Comliant electrical system  One (1) electric bilge pumps w/ auto/man/off switch  PES  PROPULSION & YES  ABYC Compliant fuel and venting system  YES  YES  YES  YES  YES  YES  YES  YE	Welded center console with windshield and seat/storage in front of console	YES	YES
Transom ladder  Feasy access to all equipment that requires service and maintenance  Feasy access to all equipment that requires service and maintenance  Feasy access to all equipment that requires service and maintenance  Feasy access to all equipment that requires service and maintenance  Feasy access to all equipment that requires service and maintenance  Feasy access to all equipment that requires service and maintenance  Feasy access to all equipment that requires service and maintenance  Feasy access to all equipment that requires service and maintenance  Feasy access to all equipment that requires service and maintenance  Feasy access to all equipment that requires service and maintenance  Feasy access to all equipment that requires service and maintenance  Feasy access to all equipment that requires service and maintenance  Feasy access to all equipment that requires service and maintenance  Feasy access to all equipment that requires service and maintenance  Feasy access to all equipment that requires service and maintenance  Feasy access to all equipment that requires service and maintenance  Feasy access to all equipment that requires service and maintenance  Feasy access to all equipment that requires service and maintenance  Feasy access to all equipment that requires service and maintenance  Feasy access to all equipment that requires service and maintenance  Feasy access to all equipment that requires services and maintenance  Feasy access to all equipment that requires access and services access and access access and access acce	Grab rails on each side of windshield	YES	YES
Easy access to all equipment that requires service and maintenance  YES  YES  VES  Welded bow eye and welded stern eyes  YES  YES  YES  Welded bow eye and welded stern eyes  YES  YES  YES  YES  YES  YES  YES  ALUminum hand rails at bow and stern along gunnel  YES  YES  YES  YES  YES  YES  YES  YE	Leaning post for driver with upholstered seat	YES	YES
Diamond plate floors  Welded bow eye and welded stern eyes  Sacrificial anode for salt/fresh water  Aluminum hand rails at bow and stern along gunnel  PROPULSION & CONTROLS  One (1) four stroke Honda, Mercury, Suzuki or Yamaha outboard jet engine to match vessel; 65 rated HP minimum  specify make and model  YES  YES  WES  YES  Honda BF90/65 Jet  ### Honda BF90/65 J	Transom ladder	YES	YES
Welded bow eye and welded stern eyes  Sacrificial anode for salt/fresh water  Aluminum hand rails at bow and stern along gunnel  PROPULSION & CONTROLS  One (1) four stroke Honda, Mercury, Suzuki or Yamaha outboard jet engine to match vessel; 65 rated HP minimum  specify make and model  Fuel tank - 14 gallons (min.)  RPM and hour display for engine data (min.)  ABYC Comliant electrical system  One (1) electric bilge pumps w/ auto/man/off switch  EPA compliant fuel and venting system  One (1) marine grade group 27 AGM start battery  NAVIGATION AND COMMUNICATION	Easy access to all equipment that requires service and maintenance	YES	YES
Sacrificial anode for salt/fresh water  Aluminum hand rails at bow and stern along gunnel  PROPULSION & CONTROLS  One (1) four stroke Honda, Mercury, Suzuki or Yamaha outboard jet engine to match vessel; 65 rated HP minimum  Specify make and model  Fuel tank - 14 gallons (min.)  RPM and hour display for engine data (min.)  ABYC Comliant electrical system  One (1) electric bilge pumps w/ auto/man/off switch  EPA compliant fuel and venting system  One (1) marine grade group 27 AGM start battery  NAVIGATION AND COMMUNICATION	Diamond plate floors	YES	YES
Aluminum hand rails at bow and stern along gunnel  PROPULSION & CONTROLS  One (1) four stroke Honda, Mercury, Suzuki or Yamaha outboard jet engine to match vessel; 65 rated HP minimum  Specify make and model  Fuel tank - 14 gallons (min.)  RPM and hour display for engine data (min.)  ABYC Comliant electrical system  One (1) electric bilge pumps w/ auto/man/off switch  EPA compliant fuel and venting system  One (1) marine grade group 27 AGM start battery  NAVIGATION AND COMMUNICATION  YES  YES  YES  YES  YES  YES  YES  YE	Welded bow eye and welded stern eyes	YES	YES
PROPULSION & CONTROLS  One (1) four stroke Honda, Mercury, Suzuki or Yamaha outboard jet engine to match vessel; 65 rated HP minimum specify make and model  Fuel tank - 14 gallons (min.)  RPM and hour display for engine data (min.)  ABYC Comliant electrical system  One (1) electric bilge pumps w/ auto/man/off switch  EPA compliant fuel and venting system  YES  YES  YES  YES  YES  YES  YES  YE	Sacrificial anode for salt/fresh water	YES	YES
One (1) four stroke Honda, Mercury, Suzuki or Yamaha outboard jet engine to match vessel; 65 rated HP minimum specify make and model  Fuel tank - 14 gallons (min.)  RPM and hour display for engine data (min.)  ABYC Comliant electrical system  YES  One (1) electric bilge pumps w/ auto/man/off switch  EPA compliant fuel and venting system  YES  YES  YES  YES  YES  YES  YES  One (1) marine grade group 27 AGM start battery  NAVIGATION AND COMMUNICATION	Aluminum hand rails at bow and stern along gunnel	YES	YES
rated HP minimum  specify make and model  Fuel tank - 14 gallons (min.)  2 - 9 gallons  YES  RPM and hour display for engine data (min.)  ABYC Comliant electrical system  One (1) electric bilge pumps w/ auto/man/off switch  EPA compliant fuel and venting system  One (1) marine grade group 27 AGM start battery  NAVIGATION AND COMMUNICATION  Honda BF90/65 Jet  YES  YES  YES  YES  YES  YES  YES  YE	PROPULSION & CONTROLS	ALCOHOL:	Fig. 1 in the contract of
RPM and hour display for engine data (min.)  ABYC Comliant electrical system  One (1) electric bilge pumps w/ auto/man/off switch  EPA compliant fuel and venting system  One (1) marine grade group 27 AGM start battery  NAVIGATION AND COMMUNICATION  YES  YES  YES  YES  YES  YES  YES  YE	One (1) four stroke Honda, Mercury, Suzuki or Yamaha outboard jet engine to match vessel; 65 rated HP minimum	2023 Suzuki	Honda BF90/65 Jet
ABYC Comliant electrical system  YES  YES  One (1) electric bilge pumps w/ auto/man/off switch  EPA compliant fuel and venting system  YES  YES  YES  YES  One (1) marine grade group 27 AGM start battery  NAVIGATION AND COMMUNICATION	Fuel tank - 14 gallons (min.)	2 - 9 gallons	YES
One (1) electric bilge pumps w/ auto/man/off switch  EPA compliant fuel and venting system  One (1) marine grade group 27 AGM start battery  NAVIGATION AND COMMUNICATION  YES  YES  YES  YES	RPM and hour display for engine data (min.)	YES	YES
EPA compliant fuel and venting system  One (1) marine grade group 27 AGM start battery  NAVIGATION AND COMMUNICATION  YES  YES  YES	ABYC Comliant electrical system	YES	YES
EPA compliant fuel and venting system  One (1) marine grade group 27 AGM start battery  NAVIGATION AND COMMUNICATION  YES  YES  YES	One (1) electric bilge pumps w/ auto/man/off switch	YES	YES
One (1) marine grade group 27 AGM start battery  NAVIGATION AND COMMUNICATION  YES  YES	EPA compliant fuel and venting system	YES	YES
NAVIGATION AND COMMUNICATION			
	NAVIGATION AND COMMUNICATION	Ministrative Communication	
		YES	YES

## Bid #22-40 Prisoner Transport Unit Bid Tabulation

	Technology International	West Coast Marine
Navigation horn	YES	YES
OPERATIONAL EQUIPMENT		
LED headlight recessed in bow	YES	YES
One (1) fire extinguisher	YES	YES
Outfit kit including anchor w/ chain and rope, dock-lines, fenders, boat hook	YES	YES
PRESERVATION		
All dissimilar metals isolated from one another through best marine practices	YES	YES
WARRANTY (specify the minimum warranty on the following)	THE PROPERTY OF THE	
Structural Hull	One (1) year	24 month
Motor	2023 115 HP Suzuki	36 month
Other (include decription)		EZ load trailer 24 month
MISCELLANEOUS		
Three Complete sets of keys		Yes
One set of service manuals, including major overg]haul of all components, electrical and hydraulic diagrams		Yes
One copy of Manufacturer's Staement of Retail Price (MSRP label) per unit		Yes
Price Each	108,500.00	48,117
Sales Tax	18,662.00	8,468.56
Total Bid	235,662.00	104,720.20

# Whatcom County Budget Transfer Request

Department Sheriff's Office			
Requested by Dawn Pierce			
Source: (Accounts to	transfer FROM)	_	
Cost Center Name	Cost Center - Account - Sub Account	Description	Amount
SO Boat Program	1003502960 . 7060	Repairs & Maintenance	14,702.00
		*): (( <del>)</del>	
		* X **********************************	
·	•	• 0 0	
<del></del>		- S : S	
* <del>*****************</del> (		5 8 <del>522</del>	
-		0 A	
94) — ——————————————————————————————————		Total	14,702.00
Accounts to Increase	·		
Cost Center Name	Cost Center - Account - Sub Account	Description	Amount
SO Boat Program	1003502960 . 7410	Equip - Capital Outlays	14,702.00
7-11-1		• 1	
	<u> </u>	v v	
	***************************************	re 19	
	·	- K R	
		\$ v <del></del>	
		·	
	***************************************	Total	14,702.00
Durnosa of Transfor	/if more room is necessary office	N <del></del>	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	(If more room is necessary attach		
	of funds to provide adequate budg		
	ise of the two boats was approved budget. However, the apparent lo		
	needed for the purchase. The att		
additional \$14,702 ar	nd is scheduled for Council vote in	Sent But the Sheriff's Office nee	ds to move
forward with purchas	se of the rescue boats now. This b	oudget transfer will be reversed on	ce the
supplemental budget	is approved.		
Authorizations:	<b>(•</b> )		
Department Head	Busey	Date 7.26.2024	
 	- will	Date 7-26.2024 Date 7-26-24	
M//K Date Posted	//	Ву	