## WHATCOM COUNTY COURTHOUSE

311 Grand Avenue, Suite #105 Bellingham, WA 98225-4038 (360) 778-5010



CLERK OF THE COUNCIL Dana Brown-Davis, C.M.C.

## **MEMORANDUM**

**TO:** Whatcom County Council

FROM: Council Staff

**RE:** COVID-19 Pandemic Response Review - Project update, Phase 2: Preliminary Recommendations

**DATE:** June 15, 2022

The consultant team working on the COVID-19 Pandemic Response Review project has progressed through the second phase of the project (Preliminary Recommendations) and will provide an overview of preliminary recommendations and request feedback on the draft report.

The COVID-19 Pandemic Response Review project was authorized via Ordinance 2021-045 (7/21/2021) and as amended in Ordinance 2021-064 (10/12/2021) and Ordinance 2022-019 (2/22/2022). Council approved a scope of work for the project on September 28, 2021, and authorized Contract #202201020 on January 11, 2022. The consultant team kicked off the project on January 27, 2022, and refined a project work plan with Council feedback (AB2022-085), adding a summary of expenses related to the pandemic. On April 26, 2022, the consultant team provided an update to Whatcom County Council regarding Phase 1 (Data Collection) of the project.

For your reference, the following highlights the project schedule:

July 2021	Ordinance adopted establishing the project
September 2021	Council approves scope and begins procurement of consultant services
December 2021	Consultant team selected
January 2022	Contract authorized with BERK Consulting
	Project Kick Off Meeting
February 2022	Phase 1: Data Collection
	Update at Council – Work Plan review
March 2022	Phase 1: Data Collection (continued)
April 2022	Phase 1: Data Collection (continued)
	Update to Council (4/26)
May 2022	Phase 2: Preliminary Recommendations
June 2022	Phase 2: Preliminary Recommendations (continued)
	Update to Council (6/21): Phase 2 Preliminary Recommendations
July 2022	Phase 3: Final Report
	Presentation to Council (7/26)

Please contact Cathy Halka, Legislative Analyst, at x5019 with any questions.