WHATCOM COUNTY ADMINISTRATIVE SERVICES



FINANCE/ACCOUNTING

Whatcom County Courthouse 311 Grand Avenue, Suite #503 Bellingham WA 98225-4082 Brad Bennett, Finance Manager

DATE:

November 6, 2019

TO:

Tyler Schroeder, Director of Administrative Services

FROM:

Brad Bennett, AS Finance Manager

SUBJECT: Approval to Purchase Replacement Dump Truck, Dump Body, Hook Lift Sander, and Plow

Background & Purpose

Public Works Equipment Services is requesting approval to purchase a replacement dump truck, and miscellaneous components, including upgrading to a 4x4 (will provide better traction during inclement weather use), and to add a hook lift system (will allow truck to be used year-round, and not just for snow/ice control). These purchases will total \$281,677.87, and will be processed as two separate orders:

- 1. One 2021 Freightliner 108SD 4x4 Diesel Dump Truck will be purchased from vendor Freightliner Northwest, located in Olympia, using Washington State Contract #01513 (expires 06/13/2020). The total price for this dump truck is \$136,494.67, including sales tax.
- 2. One 2021 Dump Body, Hook Lift Sander, and Plow will be purchased from vendor Northend Truck Equipment, located in Marysville, using Washington State Contract #01117 (expires 05/01/2020). The total price for this purchase is \$145,183.20, including installation and sales tax.

Funding

This planned replacement was included in the Exhibit B Capital List, and \$165,000.00 in funds were approved in the Equipment Rental & Revolving Fund budget approved on Ordinance #2018-064, as part of the 2019-2020 budget process. A budget modification was approved in September to transfer an additional \$100,000.00 funds. Public Works has adequate budget authority available for the additional \$16,677.87. I concur with this request.

Finance Manager

Approved as recommended.	
Director of Administrative Services	
Date of Council Action	

Annroyed as recommended.

WHATCOM COUNTY PUBLIC WORKS DEPARTMENT

Jon Hutchings

Director



EQUIPMENT SERVICES DIVISION

901 W. Smith Road Bellingham, WA 98226-9610 Phone (360) 778-6400 Fax (360) 778-6401 Eric L. Schlehuber, Division Manager

MEMORANDUM

To:

Brad Bennett, AS Finance Manager

Through:

Jon Hutchings, Public Works Director

From:

Eric L. Schlehuber, PW Equipment Services Manager

Date:

November 6, 2019

Re:

Purchase of one (1) 2021 Freightliner 108SD 4X4 Diesel Dump Truck Cab and Chassis

(State Contract #01513, Various Cab & Chassis)

Requested Action

After researching costs of pickup trucks, I am requesting Executive approval to purchase one (1) 2021 Freightliner 108SD 4X4 Diesel Dump Truck Cab and Chassis from the Washington State Bid Procurement List (Contract #01513, Various Cab and Chassis). The current state contract is for the period of June 13, 2019 through June 13, 2020. This 5YD Single Axle 4x4 Dump Truck will be used to replace the following unit:

DEPARTMENT	REPLACE UNIT	YEAR / MAKE / MODEL	EST. MILEAGE
M&O	213	1988 International 5 YD Single Axle Dump Truck	56,129

Background and Purpose

This unit was approved for replacement in the 2019-2020 Equipment Rental and Revolving Capital Equipment Budget to be used by Whatcom County Public Works. The truck bed and hook lift sander and plow (#456 and #596) are under a separate bid award request. The Maintenance and Operations Division will use this 5yd Single Axle 4x4 Dump Truck regularly in the performance of county business.

VENDOR	YEAR / MAKE / MODEL	QTY	PRICE EACH	SALES TAX TOTAL (8.2%)	EXTENDED TOTAL
Freightliner Northwest	2021 Freightliner 108SD 4X4 Diesel Dump Truck Cab and Chassis	1	\$126,150.34	\$10,344.33	\$136,494.67

Funding Amount and Source

This replacement was budgeted during the 2019-2020 budget process in the amount of \$165,000.00. To correct a budgeting error, an additional \$100,000 budget transfer was approved in 2019 to upgrade the vehicle to 4x4 and a hook lift bed, for a total of \$265,000 (10% allowance of \$291,500.00). I am requesting Executive approval to purchase this unit from Freightliner Northwest of Olympia, Washington for the price of \$126,150.34, plus 8.2% sales tax of \$10,344.33 for a total amount of \$136,494.67. A separate bid award request for the hook lift sander and plow is concurrently in process in the amount of \$145,183.20 bringing the total for both truck, truck bed and hook lift to \$281,677.87, which is within the 10% allowance.

Recommended Action

Please approve this purchase and forward to the Executive and County Council for approval at the November 19, 2019 County Council Meeting. Please contact Eric L. Schlehuber at extension 6405 if you have any questions or concerns.







GORDON TRUCK CENTERS DEALER FAMILY

November 5, 2019

Whatcom County – Freightliner 108SD 4X4 Truck Chassis from WS DOT Contract Segments A and B #01513 – Various Cab and Chassis

Base Price	<u>\$84,474.97</u>
Allison 3000RDS 5-Speed w/Fixed Shift for Snow-Plow	INC
Electric Trailer Brakes to Include 7-Way Plug @EOF (segment A item #33)	962.00
26K# Rear Suspension (4X4) Specification	INCL
14" Steel Painted Bumper	234.00
24" Front Frame Extension	INCL
Power Windows & Door Locks	204.00
Sun Visor for Safety	156.00
70-Gallon LH Rectangular Fuel Tank	107.00
Side of Hood Air Intake w/Snow Door	653.00
(5) Spare Rocker Switches in Dash	113.00
Interior Package for CB Radio Provisions	233.00
Battery Disconnect Switch	156.00
2-Valve Parking Valve w/Auto Neutral for Allison	129.00
16K# Detroit Steer Axle	INCL
16K# Taper Leaf Suspension	INCL
Standard Drum Brakes w/4X4 Option	INCL
Battery Jump Studs Next to Starter	89.00
Snow Plow Headlight Wiring/Switch (segment B page 61 Item#21)	168.00
PTO Switch w/Disengage Set to 25MPH (segment B page 78 item #50)	111.00
315 Michelin Steer Axle Tires	INCL
16K 4X4 Pkg. Including Tires, Springs, Brakes, Transfer Case (per email 8/17/17)	36,269.00







GORDON TRUCK CENTERS DEALER FAMILY

OFF CONTRACT AS PER WHATCOM COUNTY SPEC		MSRP
Horton 2-Speed Fan	274.55	(323.00)
LED Marker Lights	28.90	(34.00)
Dual Heated Mirrors w/RH & LH Remote	243.10	(286.00)
Premium High Back Driver Seat	351.90	(414.00)
Brake Application Gauge	56.95	(67.00)
Dash Mounted Air Restriction Gauge	34.00	(40.00)
Cobra 29 CB Radio Installed	140.25	(165.00)
Pre-Trip Light Check Switch	10.20	(12.00)
Sub-Total Less WA Admin Fee	\$125,198.82	
Enterprise Services Fee . 0076%	951.52	
Sub-Total w/DES Fee	\$126,150.34	
WA Sales Tax Thurston County @8.2%	\$10,344.33	
Grand Sale Price w/All Taxes and Fees	\$136,494.67	

Please accept this pricing and following specification pages for the proposed sale of (1) 2021MY Freightliner 108SD 4X4 as priced per the WS DOT Contract 01513. The "off contract" items have been changed to reflect the 15% discount and certain items from Segment B of the State contract have been noted for clarification.

Paul M. Buckel

Freightliner Northwest


BELLINGHAM, WA 98226 Phone: 360 815 5596 Prepared by:
Paul Buckel
FREIGHTLINER NORTHWEST
13232 CASE ROAD S.W.
OLYMPIA, WA 98512
Phone: 206-601-5117

A proposal for WHATCOM COUNTY PUBLIC WORKS

Prepared by FREIGHTLINER NORTHWEST Paul Buckel

Nov 01, 2019

Freightliner 108SD



Components shown may not reflect all spec'd options and are not to scale



BELLINGHAM, WA 98226 Phone: 360 815 5596 Prepared by:
Paul Buckel
FREIGHTLINER NORTHWEST
13232 CASE ROAD S.W.
OLYMPIA, WA 98512
Phone: 206-601-5117

SPECIFICATION PROPOSAL

Description

Price Level

SD PRL-20D (EFF:04/30/19)

Data Version

SPECPRO21 DATA RELEASE VER 024

Vehicle Configuration

108SD CONVENTIONAL CHASSIS

2021 MODEL YEAR SPECIFIED

SET BACK AXLE - TRUCK

TRAILER TOWING PROVISION AT END OF

FRAME FOR TRUCK

LH PRIMARY STEERING LOCATION

General Service

TRUCK/TRAILER CONFIGURATION

DOMICILED, USA (EXCLUDING CALIFORNIA AND

CARB OPT-IN STATES)

UTILITY/REPAIR/MAINTENANCE SERVICE

GOVERNMENT BUSINESS SEGMENT

DIRT/SAND/ROCK COMMODITY

TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN

TRANSIT, IS SPENT ON PAVED ROADS

MAXIMUM 8% EXPECTED GRADE

ROUGH, MAINTAINED, CONCRETE OR ASPHALT

PAVEMENT - MOST SEVERE IN-TRANSIT

(BETWEEN SITES) ROAD SURFACE

FREIGHTLINER SD VOCATIONAL WARRANTY

EXPECTED FRONT AXLE(S) LOAD: 16000.0 lbs

EXPECTED REAR DRIVE AXLE(S) LOAD:

22620.0 lbs

EXPECTED GROSS VEHICLE WEIGHT CAPACITY

: 38620.0 lbs

EXPECTED GROSS COMBINATION WEIGHT:

80000.0 lbs



BELLINGHAM, WA 98226 Phone: 360 815 5596 Prepared by:
Paul Buckel
FREIGHTLINER NORTHWEST
13232 CASE ROAD S.W.
OLYMPIA, WA 98512
Phone: 206-601-5117

Description

Truck Service

ROLL OFF/ROLL ON BODY

EXPECTED TRUCK BODY LENGTH: 0.0 ft NORTHEND TRUCK EQUIPMENT, INC.

Tractor Service

FLATBED TRAILER SINGLE (1) TRAILER

Engine

CUM L9 270 HP @ 2000 RPM; 2200 GOV RPM, 800 LB/FT @ 1300 RPM

Electronic Parameters

65 MPH ROAD SPEED LIMIT

CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT

PTO RPM WITH CRUISE SET SWITCH - 700 RPM PTO RPM WITH CRUISE RESUME SWITCH - 800 RPM

PTO MODE CANCEL VEHICLE SPEED - 25 MPH PTO GOVERNOR RAMP RATE - 100 RPM PER SECOND

FUEL DOSING OF AFTERTREATMENT ENABLED IN PTO MODE-CLEANS HYDROCARBONS AT HIGH TEMPERATURES ONLY

ENGINE BRAKE WITH CRUISE CONTROL ENABLED AT 3 MPH ABOVE SET SPEED, 2 MPH INCREMENT BETWEEN BRAKING LEVELS

PTO MINIMUM RPM - 700

REGEN INHIBIT SPEED THRESHOLD - 5 MPH

Engine Equipment

2016-2019 ONBOARD DIAGNOSTICS/2010 EPA/CARB/FINAL GHG17 CONFIGURATION

NO 2008 CARB EMISSION CERTIFICATION

STANDARD OIL PAN

ENGINE MOUNTED OIL CHECK AND FILL

SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER

DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT

SENSE



BELLINGHAM, WA 98226 Phone: 360 815 5596 Prepared by:
Paul Buckel
FREIGHTLINER NORTHWEST
13232 CASE ROAD S.W.
OLYMPIA, WA 98512
Phone: 206-601-5117

Description

(2) DTNA GENUINE, FLOODED STARTING, MIN 2000CCA, 370RC, THREADED STUD BATTERIES

BATTERY BOX FRAME MOUNTED

STANDARD BATTERY JUMPERS

SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB

WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN

NON-POLISHED BATTERY BOX COVER

CAB AUXILIARY POWER CABLE

POSITIVE LOAD DISCONNECT WITH CAB MOUNTED CONTROL SWITCH MOUNTED OUTBOARD DRIVER SEAT

POSITIVE AND NEGATIVE POSTS FOR JUMPSTART LOCATED ON FRAME NEXT TO STARTER

CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE

ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM

CUMMINS EXHAUST BRAKE INTEGRAL WITH VARIABLE GEOMETRY TURBO WITH ON/OFF DASH SWITCH, ACTIVATES STOP LAMPS

RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE

ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH

10 FOOT 06 INCH (126 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT

RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP

13 GALLON DIESEL EXHAUST FLUID TANK

100 PERCENT DIESEL EXHAUST FLUID FILL

STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING

LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION

STANDARD DIESEL EXHAUST FLUID TANK CAP

ALUMINUM AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD(S)



BELLINGHAM, WA 98226 Phone: 360 815 5596

Prepared by: Paul Buckel FREIGHTLINER NORTHWEST 13232 CASE ROAD S.W. OLYMPIA, WA 98512 Phone: 206-601-5117

Description

HORTON 2-SPEED DRIVEMASTER ADVANTAGE POLAREXTREME FAN DRIVE

AUTOMATIC FAN CONTROL WITH DASH SWITCH AND INDICATOR LIGHT, NON ENGINE MOUNTED

CUMMINS SPIN ON FUEL FILTER

COMBINATION FULL FLOW/BYPASS OIL FILTER

1115 SQUARE INCH ALUMINUM RADIATOR

ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT

GATES BLUE STRIPE COOLANT HOSES OR **EQUIVALENT**

CONSTANT TENSION HOSE CLAMPS FOR

COOLANT HOSES

RADIATOR DRAIN VALVE

PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK HEATER

CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR

ELECTRIC GRID AIR INTAKE WARMER

DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH

Transmission

ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION

Transmission Equipment

ALLISON VOCATIONAL PACKAGE 223 -AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV

ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES

PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 5, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY

SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 4, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY

PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE



BELLINGHAM, WA 98226 Phone: 360 815 5596 Prepared by:
Paul Buckel
FREIGHTLINER NORTHWEST
13232 CASE ROAD S.W.
OLYMPIA, WA 98512
Phone: 206-601-5117

Description

SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE

PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE

SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE

FUEL SENSE 2.0 DISABLED - PERFORMANCE - TABLE BASED

DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES

ELECTRONIC TRANSMISSION CUSTOMER ACCESS CONNECTOR MOUNTED BACK OF CAB

CUSTOMER INSTALLED CHELSEA 280 SERIES PTO

PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION

MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN

PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED

TRANSMISSION PROGNOSTICS - ENABLED 2013

WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK

MERITOR MTC-4210 AND MTC-4213 TRANSFER CASE OIL COOLER

TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK

MERITOR MTC 4210XL-EVO 2-SPEED TRANSFER CASE

TRANSFER CASE SHIFT CONTROLS WITH TRANSFER CASE PTO ON/OFF SWITCH WHEN APPLICABLE

SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)

Front Axle and Equipment

MX-16-120 16,000# 1790MM KPI SINGLE FRONT DRIVE AXLE

4.56 FRONT AXLE RATIO

MXL 16T MERITOR EXTENDED LUBE FRONT STEERING AXLE DRIVELINE WITH HALF ROUND YOKES

Application Version 11.1.602 Data Version PRL-20D.024 Whatcom County 108SD 6x4 DD8 Hook Plow



BELLINGHAM, WA 98226 Phone: 360 815 5596 Prepared by:
Paul Buckel
FREIGHTLINER NORTHWEST
13232 CASE ROAD S.W.
OLYMPIA, WA 98512
Phone: 206-601-5117

Description

MERITOR 16.5X6 Q+ MX DRIVE AXLE CAST SPIDER CAM FRONT BRAKES

NON-ASBESTOS FRONT BRAKE LINING

MERITOR CAST IRON FRONT BRAKE DRUMS

FRONT BRAKE DUST SHIELDS

FRONT GREASE SEAL

STANDARD SPINDLE NUTS FOR ALL AXLES

MERITOR AUTOMATIC FRONT SLACK

ADJUSTERS

STANDARD KING PIN BUSHINGS

TRW TAS-85 POWER STEERING

POWER STEERING PUMP

4 QUART POWER STEERING RESERVOIR

OIL/AIR POWER STEERING COOLER

SYNTHETIC 75W-90 FRONT AXLE LUBE

Front Suspension

16,000# TAPERLEAF FRONT SUSPENSION

MAINTENANCE FREE RUBBER BUSHINGS -

FRONT SUSPENSION

NO FRONT SUSPENSION OPTIONS

FRONT SHOCK ABSORBERS

Rear Axle and Equipment

RS-23-161 23,000# R-SERIES SINGLE REAR AXLE

4.56 REAR AXLE RATIO

IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING

MXL 17T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES

MXL 17T MERITOR EXTENDED LUBE INTERTRANSMISSION DRIVELINE WITH HALF

MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES

NON-ASBESTOS REAR BRAKE LINING

BRAKE CAMS AND CHAMBERS ON REAR SIDE OF DRIVE AXLE(S)

CAST IRON OUTBOARD REAR BRAKE DRUMS

REAR OIL SEALS

ROUND YOKES



BELLINGHAM, WA 98226 Phone: 360 815 5596 Prepared by:
Paul Buckel
FREIGHTLINER NORTHWEST
13232 CASE ROAD S.W.
OLYMPIA, WA 98512
Phone: 206-601-5117

Description

WABCO TRISTOP D LONGSTROKE 1-DRIVE

AXLE SPRING PARKING CHAMBERS

HALDEX AUTOMATIC REAR SLACK ADJUSTERS

ORGANIC SAE 80/90 REAR AXLE LUBE

STANDARD REAR AXLE BREATHER(S)

Rear Suspension

26,000# FLAT LEAF SPRING REAR SUSPENSION

WITH HELPER AND RADIUS ROD

SPRING SUSPENSION - NO AXLE SPACERS

STANDARD AXLE SEATS IN AXLE CLAMP

GROUP

FORE/AFT CONTROL RODS

Brake System

WABCO 4S/4M ABS

REINFORCED NYLON, FABRIC BRAID AND WIRE

BRAID CHASSIS AIR LINES

FIBER BRAID PARKING BRAKE HOSE

STANDARD BRAKE SYSTEM VALVES

STANDARD AIR SYSTEM PRESSURE

PROTECTION SYSTEM

STD U.S. FRONT BRAKE VALVE

RELAY VALVE WITH 5-8 PSI CRACK PRESSURE,

NO REAR PROPORTIONING VALVE

WABCO SYSTEM SAVER HP WITH INTEGRAL

AIR GOVERNOR AND HEATER

AIR DRYER MOUNTED OUTBOARD ON RH RAIL

STEEL AIR BRAKE RESERVOIRS

CLEAR FRAME RAIL FROM BACK OF CAB TO FRONT REAR SUSPENSION BRACKET LH RAIL

INSIDE/OUTBOARD AND BELOW

PULL CABLE ON WET TANK, PETCOCK DRAIN


VALVES ON ALL OTHER AIR TANKS

Trailer Connections

AIR CONNECTIONS TO END OF FRAME WITH GLAD HANDS FOR TRUCK AND NO DUST COVERS

PRIMARY CONNECTOR/RECEPTACLE WIRED FOR COMBINATION STOP/TURN, CENTER PIN POWERED THROUGH IGNITION WITH STOP SIGNAL PREWIRE PACKAGE

SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME





BELLINGHAM, WA 98226 Phone: 360 815 5596

Prepared by: Paul Buckel FREIGHTLINER NORTHWEST 13232 CASE ROAD S.W. OLYMPIA, WA 98512 Phone: 206-601-5117

Description

UPGRADED CHASSIS MULTIPLEXING UNIT

Wheelbase & Frame

4850MM (191 INCH) WHEELBASE

7/16X3-9/16X11-1/8 INCH STEEL FRAME (11.11MMX282.6MM/0.437X11.13 INCH) 120KSI

1/4 INCH (6.35MM) C-CHANNEL INNER FRAME REINFORCEMENT

1900MM (75 INCH) REAR FRAME OVERHANG

FRAME OVERHANG RANGE: 71 INCH TO 80

INCH

24 INCH INTEGRAL FRONT FRAME EXTENSION

CALC'D BACK OF CAB TO REAR SUSP C/L (CA):

125.39 in

CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 120.89 in

CALC'D FRAME LENGTH - OVERALL: 330.9

CALCULATED FRAME SPACE LH SIDE: 57.13 in

CALCULATED FRAME SPACE RH SIDE: 183.92

CALC'D SPACE AVAILABLE FOR DECKPLATE:

125.45 in

SQUARE END OF FRAME

FRONT CLOSING CROSSMEMBER

LIGHTWEIGHT HEAVY DUTY ALUMINUM ENGINE

CROSSMEMBER

STANDARD MIDSHIP #1 CROSSMEMBER(S)

STANDARD REARMOST CROSSMEMBER

STANDARD SUSPENSION CROSSMEMBER

Chassis Equipment

14 INCH PAINTED STEEL BUMPER

FRONT TOW HOOKS - FRAME MOUNTED

BUMPER MOUNTING FOR SINGLE LICENSE

PLATE

GRADE 8 THREADED HEX HEADED FRAME

FASTENERS

Fuel Tanks

70 GALLON/264 LITER ALUMINUM FUEL TANK -

25 INCH DIAMETER FUEL TANK(S)



BELLINGHAM, WA 98226 Phone: 360 815 5596 Prepared by:
Paul Buckel
FREIGHTLINER NORTHWEST
13232 CASE ROAD S.W.
OLYMPIA, WA 98512
Phone: 206-601-5117

Description

PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS

FUEL TANK(S) FORWARD

PLAIN STEP FINISH

FUEL TANK CAP(S)

DAVCO 245 FUELWATER SEPARATOR WITH 12 VOLT HEAT AND WATER IN FUEL SENSOR

EQUIFLO INBOARD FUEL SYSTEM

NO NATURAL GAS VEHICLE FUEL TANK VENT

LINE/STACK

HIGH TEMPERATURE REINFORCED NYLON

FUEL LINE

Tires

MICHELIN XZU-S2 315/80R22.5 20 PLY RADIAL

FRONT TIRES

MICHELIN X WORKS XDY 11R22.5 16 PLY

RADIAL REAR TIRES

Hubs

MERITOR IRON FRONT HUBS

CONMET PRESET PLUS PREMIUM IRON REAR

HUBS

Wheels

ACCURIDE 29300 22.5X9.00 10-HUB PILOT 6.38 INSET 5-HAND STEEL DISC FRONT WHEELS ACCURIDE 28828 22.5X8.25 10-HUB PILOT 2-HAND HD STEEL DISC REAR WHEELS

NO FRONT HUB COVERS

Cab Exterior

108 INCH BBC FLAT ROOF ALUMINUM

CONVENTIONAL CAB

AIR CAB MOUNTING

NONREMOVABLE BUGSCREEN MOUNTED

BEHIND GRILLE

FRONT FENDERS SET-BACK AXLE

LH AND RH GRAB HANDLES

BRIGHT FINISH RADIATOR SHELL/HOOD BEZEL

STATIONARY BLACK GRILLE WITH BRIGHT

ACCENTS

CHROME HOOD MOUNTED AIR INTAKE GRILLE

FIBERGLASS HOOD



BELLINGHAM, WA 98226 Phone: 360 815 5596 Prepared by:
Paul Buckel
FREIGHTLINER NORTHWEST
13232 CASE ROAD S.W.
OLYMPIA, WA 98512
Phone: 206-601-5117

Description

HOOD LINER INSULATION WITH SINGLE

FIREWALL INSULATION

SINGLE 14 INCH ROUND HADLEY AIR HORN

UNDER LH DECK

SINGLE ELECTRIC HORN

SINGLE HORN SHIELD

ALL UNIT(S) KEYED ALIKE WITH CUSTOMER

SPECIFIED KEY NUMBER FT1013

REAR LICENSE PLATE MOUNT END OF FRAME

HALOGEN COMPOSITE HEADLAMPS WITH

BRIGHT BEZELS

LED AERODYNAMIC MARKER LIGHTS

INTEGRAL STOP/TAIL/BACKUP LIGHTS

STANDARD FRONT TURN SIGNAL LAMPS

NO WORK LIGHT

DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LH AND RH REMOTE

DOOR MOUNTED MIRRORS

102 INCH EQUIPMENT WIDTH

LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY

MIRRORS

RH DOWN VIEW MIRROR

STANDARD SIDE/REAR REFLECTORS

ELECTRIC HORN WARNING SYSTEM FOR PARK BRAKE NOT SET WITH DOOR OPEN AND ALL

IGNITION KEY POSITIONS

COMPOSITE EXTERIOR SUN VISOR

63X14 INCH TINTED REAR WINDOW

TINTED DOOR GLASS LH AND RH WITH TINTED

NON-OPERATING WING WINDOWS

RH AND LH ELECTRIC POWERED WINDOWS,

PASSENGER SWITCHES ON DOOR(S)

TINTED WINDSHIELD

8 LITER WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITHOUT FLUID LEVEL

INDICATOR

Cab Interior

OPAL GRAY VINYL INTERIOR

MOLDED PLASTIC DOOR PANEL WITHOUT VINYL INSERT WITH ALUMINUM KICKPLATE LOWER DOOR

Application Version 11.1.602
Data Version PRL-20D.024
Whatcom County 108SD 6x4 DD8
Hook Plow



BELLINGHAM, WA 98226 Phone: 360 815 5596 Prepared by:
Paul Buckel
FREIGHTLINER NORTHWEST
13232 CASE ROAD S.W.
OLYMPIA, WA 98512
Phone: 206-601-5117

Description

MOLDED PLASTIC DOOR PANEL WITHOUT VINYL INSERT WITH ALUMINUM KICKPLATE LOWER DOOR

BLACK MATS WITH SINGLE INSULATION

NO DASH MOUNTED ASH TRAYS AND LIGHTER

FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS WITHOUT NETTING

IN DASH STORAGE BIN

(2) CUP HOLDERS LH AND RH DASH

GRAY/CHARCOAL FLAT DASH

SMART SWITCH EXPANSION MODULE

HEATER, DEFROSTER AND AIR CONDITIONER

STANDARD HVAC DUCTING

MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH

STANDARD HEATER PLUMBING

VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR

BINARY CONTROL, R-134A

PREMIUM INSULATION

SOLID-STATE CIRCUIT PROTECTION AND FUSES

12V NEGATIVE GROUND ELECTRICAL SYSTEM

DOME DOOR ACTIVATED LH AND RH, DUAL READING LIGHTS, FORWARD CAB ROOF

LH AND RH ELECTRIC DOOR LOCKS

(1) 12 VOLT POWER SUPPLY IN DASH

PREMIUM HIGH BACK AIR SUSPENSION DRIVER SEAT WITH 3 CHAMBER AIR LUMBAR, INTEGRATED CUSHION EXTENSION, FORWARD AND REAR CUSHION TILT, ADJUSTABLE SHOCK ABSORBER

BASIC HIGH BACK AIR SUSPENSION PASSENGER SEAT WITH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION

DUAL DRIVER SEAT ARMRESTS, NO PASSENGER SEAT ARMRESTS

LH AND RH INTEGRAL DOOR PANEL ARMRESTS

VINYL WITH VINYL INSERT DRIVER SEAT

VINYL WITH VINYL INSERT PASSENGER SEAT

BLACK SEAT BELTS



BELLINGHAM, WA 98226 Phone: 360 815 5596 Prepared by:
Paul Buckel
FREIGHTLINER NORTHWEST
13232 CASE ROAD S.W.
OLYMPIA, WA 98512
Phone: 206-601-5117

Description

ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN

4-SPOKE 18 INCH (450MM) STEERING WHEEL DRIVER AND PASSENGER INTERIOR SUN VISORS

NO ENTRY/ACCESS/STEP WIRING

Instruments & Controls

GRAY DRIVER INSTRUMENT PANEL

GRAY CENTER INSTRUMENT PANEL

BLACK GAUGE BEZELS

LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM

(1) SINGLE BRAKE APPLICATION AIR GAUGE

2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES

DASH MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS

97 DB BACKUP ALARM

ELECTRONIC CRUISE CONTROL WITH SWITCHES IN LH SWITCH PANEL

KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY

ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28 LED WARNING LAMPS AND DATA LINKED

HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH

2 INCH ELECTRIC FUEL GAUGE

PROGRAMMABLE RPM CONTROL - ELECTRONIC ENGINE

CHASSIS MODULE JUMPER AND BRACKET FOR BODY BUILDER TO RELOCATE THE CHASSIS MODULE INTO THE CAB

ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE

2 INCH TRANSMISSION OIL TEMPERATURE GAUGE

ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY

(1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP

ELECTRIC ENGINE OIL PRESSURE GAUGE



BELLINGHAM, WA 98226 Phone: 360 815 5596 Prepared by:
Paul Buckel
FREIGHTLINER NORTHWEST
13232 CASE ROAD S.W.
OLYMPIA, WA 98512
Phone: 206-601-5117

Description

OVERHEAD INSTRUMENT PANEL

AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH AND USB AND AUXILIARY INPUTS, J1939

DASH MOUNTED RADIO

(2) RADIO SPEAKERS IN CAB

POWER AND GROUND STUDS IN DASH PLUS ROOF CONSOLE WIRING

ROOF/OVERHEAD CONSOLE CB RADIO PROVISION

MULTI-BAND AM/FM/WB/CB LH MIRROR MOUNTED ANTENNA SYSTEM

ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER

STANDARD VEHICLE SPEED SENSOR

ELECTRONIC 3000 RPM TACHOMETER

IGNITION SWITCH CONTROLLED ENGINE STOP

FIVE ON/OFF ROCKER SWITCHES IN THE DASH WITH INDICATOR LIGHTS; FOUR WIRE TO CHASSIS AT BACK OF CAB, ONE UNWIRED, LABEL ALL OPT

PRE-TRIP LAMP INSPECTION, ALL OUTPUTS FLASH, WITH SMART SWITCH

BW TRACTOR PROTECTION VALVE

TRAILER HAND CONTROL BRAKE VALVE

DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY

SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY

MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH


TWO VALVE PARKING BRAKE SYSTEM WITH DASH VALVE CONTROL AUTONEUTRAL AND WARNING INDICATOR

SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE

INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS

Design

PAINT: ONE SOLID COLOR





BELLINGHAM, WA 98226 Phone: 360 815 5596 Prepared by:
Paul Buckel
FREIGHTLINER NORTHWEST
13232 CASE ROAD S.W.
OLYMPIA, WA 98512
Phone: 206-601-5117

Description

Color

CAB COLOR A: L0762EB MED RED ELITE BC
BLACK, HIGH SOLIDS POLYURETHANE CHASSIS
PAINT

POWDER WHITE (N0006EA) FRONT

WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)

POWDER WHITE (N0006EA) REAR

WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)

STANDARD BLACK BUMPER PAINT

SUNVISOR PAINTED SAME AS CAB COLOR A

STANDARD E COAT/UNDERCOATING

Certification / Compliance

U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS

Secondary Factory Options

DEALER/CUSTOMER ADVISED AND ACCEPTS BUMPER SHOULD BE REMOVED PRIOR TO RECOVERING/TOWING THE VEHICLE PER FRACAS:11687

Raw Performance Data


CALC'D FRAME LENGTH - OVERALL: 330.9 CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 120.89 in CALC'D SPACE AVAILABLE FOR DECKPLATE: 125.45 in

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.



BELLINGHAM, WA 98226 Phone: 360 815 5596 Prepared by:
Paul Buckel
FREIGHTLINER NORTHWEST
13232 CASE ROAD S.W.
OLYMPIA, WA 98512
Phone: 206-601-5117

DIMENSIONS



VEHICLE SPECIFICATIONS SUMMARY - DIMENSIONS

Wheelbase (545)	4850MM (191 INCH) WHEELBASE
	NO FIFTH WHEEL
Mounting Location (577)	NO FIFTH WHEEL LOCATION
	0
	0
Amount of Slide Travel (in)	0
Slide Increment (in)	0
Desired Slide Position (in)	
Cab Size (829)	108 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB
Sleeper (682)	NO SLEEPER BOX/SLEEPERCAB
Exhaust System (016)RH OUTBOARD UNDER STEP N WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE	IOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY

TABLE SUMMARY - DIMENSIONS



BELLINGHAM, WA 98226 Phone: 360 815 5596 Prepared by:
Paul Buckel
FREIGHTLINER NORTHWEST
13232 CASE ROAD S.W.
OLYMPIA, WA 98512
Phone: 206-601-5117

Dimensions	Inches
Bumper to Back of Cab (BBC)	133.3
Bumper to Centerline of Front Axle (BA)	67.7
Min. Cab to Body Clearance (CB)	3.0
Back of Cab to Centerline of Rear Axle(s) (CA)	125.4
Effective Back of Cab to Centerline of Rear Axle(s) (Effective CA)	120.9
Back of Cab Protrusions (Exhaust/Intake) (CP)	0.0
Back of Cab Protrusions (Side Extenders/Trim Tab) (CP)	4.5
Back of Cab Protrusions (CNG Tank)	0.0
Back of Cab Clearance (CL)	4,5
Back of Cab to End of Frame	200.2
Cab Height (CH)	71.8
Wheelbase (WB)	190.9
Frame Overhang (OH)	74.8
Overall Length (OAL)	333.5
Rear Axle Spacing	0.0
Unladen Frame Height at Centerline of Rear Axle	45.3

Performance calculations are estimates only. If performance calculations are critical, please contact Customer Application Engineering.



WHATCOM COUNTY PUBLIC WORKS DEPARTMENT

Jon Hutchings

Director



EQUIPMENT SERVICES DIVISION

901 W. Smith Road Bellingham, WA 98226-9610 Phone (360) 778-6400 Fax (360) 778-6401

Eric L. Schlehuber, Division Manager

MEMORANDUM

To:

Brad Bennett, AS Finance Manager

Through:

Jon Hutchings, Public Works Director

From:

Eric L. Schlehuber, PW Equipment Services Manager

Date:

November 6, 2019

Re:

Purchase of one (1) 2021 Dump Body, Hook Lift Sander and Plow

(State Contract #01117, Dump Bodies, Snow Plows Various Types, Controls & Services)

Requested Action

After researching costs of dump truck bodies, hook lift sanders and plows, I am requesting Executive approval to purchase one (1) 2021 Dump Body, Hook Lift Sander and Plow from the Washington State Bid Procurement List (Contract #01117, Dump Bodies, Snow Plows Various Types, Controls & Services). The current state contract is for the period of May 1, 2019 through May 1, 2020. The hook lift sander and plow will be used to replace the following units:

DEPARTMENT	DEPARTMENT REPLACE UNIT YEAR / MAKE / MODEL				
M&0	213	1988 International 5 YD Single Axle Dump Truck			
M&0	456	2000 Swenson Sander			
M&O	596	12' Steel Snow Plow			

Background and Purpose

The dump truck cab, truck bed and chassis (#213), were approved for replacement in the 2019-2020 Equipment Rental and Revolving Capital Equipment Budget to be used by Whatcom County Public Works. There adequate unspent capital budget authorities for the upgrades to the hook lift sander and plow, and upgrade for 4x4. The Maintenance and Operations Division will use this 5yd Single Axle 4x4 Dump Truck with hook lift sander and plow regularly in the performance of county business. The cab and chassis will be submitted under a separate bid award request memo.

VENDOR	YEAR / MAKE / MODEL	QTY	PRICE EACH	SALES TAX TOTAL (8.5%)	EXTENDED TOTAL
Northend Truck Equipment	2021 Dump Body, Hook Lift Sander and Plow	1	\$133,809.40	\$11,373.80	\$145,183.20

Funding Amount and Source

The replacement of the truck body was budgeted under the replacement of the unit #213. This unit was budgeted during the 2019-2020 budget process in the amount of \$165,000.00. To correct a budgeting error, an additional \$100,000 budget transfer was approved in 2019 to upgrade the vehicle to 4x4 with a hook lift bed, for a total of \$265,000 (10% allowance of \$291,500.00). The cab and chassis were requested under a separate bid award in the amount of \$136,494.67. The remaining amount of \$45,001.90, along with sufficient unspent capital budget authority of \$100,000, provide a remaining budgeted amount of \$145,001.10. I am requesting Executive and Council approval to purchase these units from Northend Truck Equipment of Marysville, Washington for the price of \$133,809.40, plus 8.5% sales tax of \$11,373.80 for a total amount of \$145,183.20. A separate bid award request

for the cab and chassis is concurrently in process in the amount of \$136,494.67 bringing the total for both truck, truck bed and hook lift to \$281,677.87, which is within the 10% allowance.

• Recommended Action

Please approve this purchase and forward to the Executive and County Council for approval at the November 19, 2019 County Council Meeting. Please contact Eric L. Schlehuber at extension 6405 if you have any questions or concerns.

Northend Truck Equipment

14919 - 40th Ave. N.E. Marysville, WA 98271

Ph: 360-653-6066 Fax: 360-653-0100

1-800-653-6066

Visit Our Web Site - www.northendtruck.com



Prepared For: State of Washington Current Contract Information:


Justin Myers Effective Date: 05-01-2018
Whatcom County PW Contract number: 01117

Maintenance Supervisor Contract title: DUMP BODIES, SNOW PLOWS VARIOUS TYPES,

360-815-5596 CONTROLS & SERVICES

jMyers@co.whatcom.wa.us

Excel#	Item #	Category	QTY	Unit Price	Total Price
		Dump Body Category A (Sanders)			
63	=	Monroe 11' V-Hopper Sander	1	\$27,074.00	\$27,074.00
		Hook-Lift Skid, to include tip up spinner modifications so as to not interfere with loading and unloading of the unit. Manual hand winch to tip up spinner assembly shall be accessible from the ground and have friction brake. Winch cable to run through an upper pulley attached to an extended bolt on bracket located near the top of the rear panel with a guide roller at rear of the tail section to include a second pulley near the bottom of the spinner assembly for ease of lifting. Hooklift skid must be			,
70	,	capable of being loaded/unloaded from the chassis at maximum rated hopper capacity.		f2 (27 00	#2 <i>(27</i> 0)
	1		1	\$2,637.00	\$2,637.00
91	21	Deduct for no prewet system	1	-\$3,284.00	-\$3,284.00
		Dump Body Category C (Dump Bodies)			
101	1.5	Steel Tool Box 18 x 18 x 36, CA Room Permitting		0.5000	
101	17	(Installed) Location Determined At Time Of Order	1	\$650.00	\$650.00
		5-6 Yard Skid Mounted Dump Body to Include Stucchi			
		Multi Connector with Air and Electrical to Reach Back		A . - - - - - - - - - -	******
114	3	of Cab Per DOT Spec's (11' Long)	1	\$17,868.00	\$17,868.00
118	7	Steel Rollers For Hook Lift Skid	1	\$648.00	\$648.00
139	28	Ladder Rung Walk Rails I.L.O. Rebar	1	\$357.00	\$357.00
		Dump Body Category G (Palift & Options)			
16	1	Palift T-29 For Single Axle Chassis	1	\$27,851.00	\$27,851.00
		Category G: NTE (Additional Products And Ser	vices)		
		Hitch Options			
		580 None Air Hitch With "D" Rings Installed Complete			
		With OEM Gladhands Seven Way Plug, Back-up Alarm,			
30	2	and Tail Lights	1	\$1,985.00	\$1,985.00
		Full Width Tube Style ICC Bumper With LED Sealed			
		Beam Stop, Turn, Tail Lights Includes Alt. Flash (Does			
32	4	Not Include Hitch)	1	\$1,288.00	\$1,288.00



Northend Truck Equipment


14919 - 40th Ave. N.E. Marysville, WA 98271

Ph: 360-653-6066 Fax: 360-653-0100

1-800-653-6066

Visit Our Web Site - www.northendtruck.com

13	21	NE-21E Hot Shift PTO (280 Series), Direct Mount Load	*:	Ψ1,070.00	Ψ005.10
43	21	5100ex-3 Harnessing (Flow Meter Feedback Incl.)	1	\$1,078.88	\$863.10
		NE-19E DLA/Anti-Icing 3-Lane Harness Kit to Add to			
		Parts and Service (Parts Needed)		List Price	20% Discount
37	1	Ship with completed unit.	1	\$975.00	\$975.00
		with plumbing and Stucchi, test and adjust float pressure.			
		Henke Plow shipped to Northend Truck set up and tested			
30	6	***11 ft Plow In Lieu Of 12 ft ***	1	\$12,952.00	\$12,952.0
		12' Reversible Parallel Lift "Short" Batwing Plow			
25	1	Slotted Trips in lieu of shear bars	1	\$1,439.00	\$1,439.0
		Plow Category 3			
19	-	Stainless Steel Brackets (Installed)	1	\$825.00	\$825.0
		Chassis provided wiring and switch, Includes Adjustable			
		Truck-Lite #80800 plow lights, to be hooked up to			
16		4x4 Truck (Add)	1	\$698.00	\$698.0
10	-	rails and stationary grill)	1	\$2,978.00	\$2,978.0
		Henke Flatplate Hitch (requires extended front frame			
		Plow Category 2			
59	11	Sander Lines The Rear With QD's	1	\$1,344.00	\$1,344.0
58	10	Sander Includes Parking Station and Cover	1	\$2,045.00	\$2,045.0
		Stucchi Multi Connector, Fixed and Mobile Half For			
23	1	Hoses and Fittings Installed (See Sander Line Option)	1	\$24,375.00	\$24,375.0
		Tank, or VT35 with Poly Or Stainless Lid, With Basic			
		Electric Ultra Arm Control Console, Behind The Cab			
		Front Mounted With OEM Front Frame Rail Extensions,			
		Stainless Box (Room Permitting) With Load Sense Pump			
		With 5100EX Electric Sander Valve Control and			
1411		Closed Center Snow and Ice System Multi Section Valve			
73		NTE Basic Hydraulics		\$1,042.00	\$1,042.0
45	2	(1) LED Work Light	1	\$1,842.00	\$1,842.0
		Tarp And Rack Options Back Of Cab T-Rack To Include (2) Whelan L-31 And			
41	g.	Radius Both Ends	1	\$1,563.00	\$1,563.0
4.1	_	Steel Fender Set For Single Axle Painted Black With	1	#1 5C2 00	#1 <i>5 (</i> 2)



Northend Truck Equipment

14919 - 40th Ave. N.E. Marysville, WA 98271

Ph: 360-653-6066 Fax: 360-653-0100

1-800-653-6066

Visit Our Web Site - www.northendtruck.com

Notes:

Body Color: <u>Silver</u>
Plow Color: <u>Orange</u>
Tool Box Color: <u>White</u>

• New chassis to have 120" of usable CA

• New chassis to be equiped with extended front frame rails (not bolt on) and stationary grill.

Accepted: Zack Andrews	10/29/2019 Accepted:	Date:	
Zack Andrews	Just	in Myers	
NORTHEND TRUCK EQUIPMENT	Wh	atcom County PW	
	PO	#	_

Thank You for your help on this, if you have any questions or need additional information Please call or email me at 425-903-2207, ZackA@northendtruck.com

Sincerely,
NORTHEND TRUCK EQUIPMENT
Zack Andrews
Sales